

Linux Dash

Quellen:

- <https://linux-dash.github.io/>
- <https://httpd.apache.org/docs/current/howto/auth.html>

```
mkdir -p /var/www/html/meinekleinefarm.net/dash/
```

```
git clone --depth 1 https://github.com/linux-dash/linux-dash.git  
/var/www/html/meinekleinefarm.net/dash/
```

- Cloning into 'dash'...
remote: Counting objects: 78, done.
remote: Compressing objects: 100% (71/71), done.
remote: Total 78 (delta 5), reused 48 (delta 3), pack-reused 0
Unpacking objects: 100% (78/78), done.
Checking connectivity... done.

```
chown www-data:www-data -R /var/www/html/
```

```
htpasswd -B -c /etc/apache2/.htpasswd demo-user
```

New password:

Re-type new password:

Adding password for user demo-user

```
htpasswd -B /etc/apache2/.htpasswd demo-user2
```

New password:

Re-type new password:

Adding password for user demo-user2

```
nano /etc/apache2/sites-available/dash.meinekleinefarm.net.conf
```

[dash.meinekleinefarm.net.conf](#)

```
<VirtualHost *:80>  
    ServerName dash.meinekleinefarm.net  
    Redirect permanent / https://dash.meinekleinefarm.net/  
</VirtualHost>  
  
<IfModule mod_ssl.c>  
    <VirtualHost *:443>  
        ServerAdmin webmaster@meinekleinefarm.net  
        ServerName dash.meinekleinefarm.net  
        ServerAlias dash.meinekleinefarm.net  
  
        DocumentRoot
```

```
/var/www/html/meinekleinefarm.net/dash/app/  
  
<Directory /var/www/html/meinekleinefarm.net/dash/app/>  
    AuthType Basic  
    AuthName "Linux Dash 2.0"  
    AuthUserFile /etc/apache2/.htpasswd  
    Require valid-user  
  
    AllowOverride All  
</Directory>  
  
ErrorLog ${APACHE_LOG_DIR}/error.log  
CustomLog ${APACHE_LOG_DIR}/access.log combined  
  
SSLEngine on  
SSLCertificateFile  
/etc/letsencrypt/live/meinekleinefarm.net/fullchain.pem  
SSLCertificateKeyFile  
/etc/letsencrypt/live/meinekleinefarm.net/privkey.pem  
  
<FilesMatch "\.(cgi|shtml|phtml|php)$">  
    SSLOptions +StdEnvVars  
</FilesMatch>  
<Directory /usr/lib/cgi-bin>  
    SSLOptions +StdEnvVars  
</Directory>  
  
BrowserMatch "MSIE [2-6]" \  
    nokeepalive ssl-unclean-shutdown \  
    downgrade-1.0 force-response-1.0  
BrowserMatch "MSIE [17-9]" ssl-unclean-shutdown  
</VirtualHost>  
</IfModule>
```

```
a2ensite dash.meinekleinefarm.net.conf  
service apache2 reload
```

From:
<https://host.docker.internal:552/> - **Meine kleine Dokumentation**

Permanent link:
https://host.docker.internal:552/doku.php?id=linux_dash&rev=1478721275

Last update: **2016/11/09 19:54**

