

# Monit Konfiguration



Baustelle / Work in Progress

## Quellen

- <https://mmonit.com/wiki/Monit/ConfigurationExamples>
- <http://www.binarytides.com/install-monit-debian/>
- <https://www.howtoforge.com/tutorial/server-monitoring-with-munin-and-monit-on-debian/2/>

```
ln -s /etc/monit/conf-available/apache2 /etc/monit/conf-enabled/apache2
ln -s /etc/monit/conf-available/cron /etc/monit/conf-enabled/cron
ln -s /etc/monit/conf-available/mysql /etc/monit/conf-enabled/mysql
ln -s /etc/monit/conf-available/openssh-server /etc/monit/conf-enabled/openssh-server
ln -s /etc/monit/conf-available/postfix /etc/monit/conf-enabled/postfix
ln -s /etc/monit/conf-available/ntpd /etc/monit/conf-enabled/ntpd
```

```
monit reload && tail -f /var/log/monit.log
```

From:

<https://host.docker.internal:552/> - **Meine kleine Dokumentation**

Permanent link:

[https://host.docker.internal:552/doku.php?id=monit\\_config&rev=1518731922](https://host.docker.internal:552/doku.php?id=monit_config&rev=1518731922)

Last update: **2018/02/15 21:58**

