

# Monit Installation

## Quellen

- <https://packages.debian.org/jessie-backports/monit>
- <http://www.binarytides.com/install-monit-debian/>
- <https://mmonit.com/wiki/Monit/Apache>
- <https://thomas-leister.de/apache-reverse-proxy-mit-ssl-support-einrichten/>

## Grundinstallation

```
apt install -t jessie-backports monit -y
nano /etc/monit/conf.d/basics
```

- ```
set daemon 60

set mailserver external-relay.de,
                external-relay2.de
set mail-format { from: monit@meinekleinefarm.net }
set alert xenadmin@meinekleinefarm.net # receive all alerts

set httpd port 2812 and
  use address localhost # only accept connec$
  allow localhost # allow localhost to$
  allow admin:monit # require user 'adm$
```

```
a2enmod proxy proxy_http
cd /etc/apache2/sites-available/
nano monit.meinekleinefarm.net.conf
```

- [monit.meinekleinefarm.net.conf](#)

```
<VirtualHost *:80>
    ServerName monit.meinekleinefarm.net
    Redirect permanent / https://monit.meinekleinefarm.net/
</VirtualHost>

<IfModule mod_ssl.c>
    <VirtualHost *:443>
        ServerAdmin webmaster@meinekleinefarm.net
        ServerName monit.meinekleinefarm.net
        ServerAlias monit.meinekleinefarm.net
```

```
    ErrorLog ${APACHE_LOG_DIR}/error.log
    CustomLog ${APACHE_LOG_DIR}/access.log combined

    SSLProxyEngine On
    ProxyPass / http://localhost:2812/
    ProxyPassReverse / http://localhost:2812/

    <Location /monit/>
        Order deny,allow
        Allow from all
        ProxyPassReverseCookiePath / /monit/
    </Location>

    #

    SSLEngine on
    SSLCertificateFile
/etc/letsencrypt/live/meinekleinefarm.net/fullchain.pem
    SSLCertificateKeyFile
/etc/letsencrypt/live/meinekleinefarm.net/privkey.pem

    <FilesMatch "\.(cgi|shtml|phtml|php)$">
        SSLOptions +StdEnvVars
    </FilesMatch>
    <Directory /usr/lib/cgi-bin>
        SSLOptions +StdEnvVars
    </Directory>

    BrowserMatch "MSIE [2-6]" \
        nokeepalive ssl-unclean-shutdown \
        downgrade-1.0 force-response-1.0
    BrowserMatch "MSIE [17-9]" ssl-unclean-shutdown
    </VirtualHost>
</IfModule>
```

```
a2ensite monit.meinekleinefarm.net.conf
service apache2 reload
```

Weiter zur → [Monit Konfiguration](#)

From:  
<https://dokuwiki.meinekleinefarm.net/> - **Meine kleine Dokumentation**

Permanent link:  
[https://dokuwiki.meinekleinefarm.net/doku.php?id=monit\\_setup](https://dokuwiki.meinekleinefarm.net/doku.php?id=monit_setup)

Last update: **2016/11/25 10:29**



