

# Monit Installation

## Quellen

- <https://packages.debian.org/jessie-backports/monit>
- <http://www.binarytides.com/install-monit-debian/>
- <https://mmonit.com/wiki/Monit/Apache>
- <https://thomas-leister.de/apache-reverse-proxy-mit-ssl-support-einrichten/>

## Grundinstallation

```
apt install -t jessie-backports monit -y
nano /etc/monit/conf.d/basics
```

- set daemon 60

```
set mailserver external-relay.de,
                external-relay2.de
set mail-format { from: monit@meinekleinefarm.net }
set alert xenadmin@meinekleinefarm.net # receive all alerts

set httpd port 2812 and
  use address localhost # only accept conne$
  allow localhost # allow localhost t$
  allow admin:monit # require user 'adm$
```

```
a2enmod proxy proxy_http
cd /etc/apache2/sites-available/
nano monit.meinekleinefarm.net.conf
```

- [monit.meinekleinefarm.net.conf](#)

```
<VirtualHost *:80>
    ServerName monit.meinekleinefarm.net
    Redirect permanent / https://monit.meinekleinefarm.net/
</VirtualHost>

<IfModule mod_ssl.c>
    <VirtualHost *:443>
        ServerAdmin webmaster@meinekleinefarm.net
        ServerName monit.meinekleinefarm.net
        ServerAlias monit.meinekleinefarm.net
```

```
ErrorLog ${APACHE_LOG_DIR}/error.log
CustomLog ${APACHE_LOG_DIR}/access.log combined

SSLProxyEngine On
ProxyPass / http://localhost:2812/
ProxyPassReverse / http://localhost:2812/

<Location /monit/>
    Order deny,allow
    Allow from all
    ProxyPassReverseCookiePath / /monit/
</Location>

#

SSLEngine on
SSLCertificateFile
/etc/letsencrypt/live/meinekleinefarm.net/fullchain.pem
SSLCertificateKeyFile
/etc/letsencrypt/live/meinekleinefarm.net/privkey.pem

<FilesMatch "\.(cgi|shtml|phtml|php)$">
    SSLOptions +StdEnvVars
</FilesMatch>
<Directory /usr/lib/cgi-bin>
    SSLOptions +StdEnvVars
</Directory>

BrowserMatch "MSIE [2-6]" \
    nokeepalive ssl-unclean-shutdown \
    downgrade-1.0 force-response-1.0
BrowserMatch "MSIE [17-9]" ssl-unclean-shutdown
</VirtualHost>
</IfModule>
```

```
a2ensite monit.meinekleinefarm.net.conf
service apache2 reload
```

From: <https://host.docker.internal:552/> - **Meine kleine Dokumentation**

Permanent link: [https://host.docker.internal:552/doku.php?id=monit\\_setup&rev=1478647052](https://host.docker.internal:552/doku.php?id=monit_setup&rev=1478647052)

Last update: **2016/11/08 23:17**

