

Piwik



Baustelle / Work in Progress

Quellen

- <https://piwik.org/docs/installation/#the-5-minut-piwik-installation>
- <http://wordpress.org/extend/plugins/wp-piwik/>
- <https://www.dokuwiki.org/plugin:piwik2>

```
cd /var/www/html/meinekleinefarm.net wget https://builds.piwik.org/piwik.zip unzip piwik.zip rm piwik.zip rm How\ to\ install\ Piwik.html mysql -u root -p
```

```
CREATE USER 'piwik'@'localhost' IDENTIFIED BY 'PASSWORD1';
CREATE DATABASE `piwik`;
GRANT ALL privileges ON `piwik`.* TO 'piwik'@'localhost';
flush privileges;
```

```
<VirtualHost *:80>
    ServerName piwik.meinekleinefarm.net
    Redirect permanent / https://piwik.meinekleinefarm.net/
</VirtualHost>

<IfModule mod_ssl.c>
    <VirtualHost *:443>
        ServerAdmin webmaster@meinekleinefarm.net
        ServerName piwik.meinekleinefarm.net
        ServerAlias piwik.meinekleinefarm.net

        DocumentRoot /var/www/html/meinekleinefarm.net/piwik/

        <Directory /var/www/html/meinekleinefarm.net/piwik/>
            AllowOverride All
        </Directory>

        ErrorLog ${APACHE_LOG_DIR}/error.log
        CustomLog ${APACHE_LOG_DIR}/access.log combined

        SSLEngine on
        SSLCertificateFile
/etc/letsencrypt/live/meinekleinefarm.net/fullchain.pem
        SSLCertificateKeyFile
/etc/letsencrypt/live/meinekleinefarm.net/privkey.pem

        <FilesMatch "\.(cgi|shtml|phtml|php)$">
```

```
                SSLOptions +StdEnvVars
</FilesMatch>
<Directory /usr/lib/cgi-bin>
                SSLOptions +StdEnvVars
</Directory>

    BrowserMatch "MSIE [2-6]" \
                nokeepalive ssl-unclean-shutdown \
                downgrade-1.0 force-response-1.0
    BrowserMatch "MSIE [17-9]" ssl-unclean-shutdown
</VirtualHost>
</IfModule>
```

a2ensite piwik.meinekleinefarm.net.conf service apache2 reload

From:
<https://host.docker.internal:552/> - **Meine kleine Dokumentation**

Permanent link:
<https://host.docker.internal:552/doku.php?id=piwik&rev=1480094311>

Last update: **2016/11/25 17:18**

