

# Postfix

```
apt install postfix -y
Internetmail with Smart Host
FQDN meinekleinefarm.net
Relayhost external-relay.de
```

```
cp /etc/postfix/main.cf /etc/postfix/main.cf.BAK
nano /etc/postfix/main.cf
```

```
smtpd_tls_cert_file=/etc/letsencrypt/live/meinekleinefarm.net/fullchain.pem
smtpd_tls_key_file=/etc/letsencrypt/live/meinekleinefarm.net/privkey.pem
myhostname = mail.meinekleinefarm.net
# mydestination = debian.meinekleinefarm.net, localhost.meinekleinefarm.net,
localhost

# Handing off local delivery to Dovecot's LMTP
virtual_transport = lmtp:unix:private/dovecot-lmtp

# Enabling SMTP for authenticated users, and handing off authentication to
Dovecot
smtpd_sasl_type = dovecot
smtpd_sasl_path = private/auth
smtpd_sasl_auth_enable = yes
smtpd_tls_auth_only = yes

# Virtual domains, users, and aliases
virtual_mailbox_domains = /etc/postfix/virtual_mailbox_domains
# virtual_mailbox_maps = /etc/postfix/virtual_mailbox_maps
# virtual_alias_maps = hash:/etc/postfix/virtual_alias_maps
# virtual_alias_maps = regexp:/etc/postfix/virtual_alias_global

# relay_recipient_maps = hash:/etc/postfix/relay_recipients
```

```
nano /etc/postfix/virtual_mailbox_domains
```

- meinekleinefarm.net OK
- mgs-ullrich.de OK

```
postmap /etc/postfix/virtual_mailbox_domains
```

```
cp /etc/postfix/master.cf /etc/postfix/master.cf.BAK
nano /etc/postfix/master.cf
```

Uncomment Line 17 to activate secure message submission agent (MSA) on port 587

```
'submission inet n      -      -      -      -      smtpd''
```

```
systemctl restart postfix
```

From:

<https://host.docker.internal:552/> - **Meine kleine Dokumentation**

Permanent link:

<https://host.docker.internal:552/doku.php?id=postfix&rev=1478638303>

Last update: **2016/11/08 20:51**

