

# Wordpress Migration

## www.meinekleinefarm.net



Konfigurationsdateien fehlen noch

### Alter Server

```
mysqldump -h localhost -u root -p meinekleinefarmwordpress >
wp_meinekleinefarm.sql
scp -r -P 22 /root/seafire_db/ccnet-db.sql root@192.168.1.2:/root
cd /var/www/html/meinekleinefarm/
tar -czvf - * | ssh -p 22 root@192.168.1.2 'tar -xhzvf - -C
/var/www/html/meinekleinefarm.net/root/'
```

### Neuer Server

```
chown www-data:www-data -R /var/www/html/meinekleinefarm.net/root/
mysql -u root -p
```

```
CREATE USER 'wp_mkfarm'@'localhost' IDENTIFIED BY 'PASSWORD1';
CREATE DATABASE `wp_meinekleinefarm`;
GRANT ALL privileges ON `wp_meinekleinefarm`.* TO 'wp_mkfarm'@'localhost';
flush privileges;
```

```
mysql -u root -p wp_meinekleinefarm < /root/wp_meinekleinefarm.sql
nano /var/www/html/meinekleinefarm.net/root/wp-config.php
```

### [wp-config.php](#)

```
nano /etc/apache2/sites-available/www.meinekleinefarm.net.conf
```

### [www.meinekleinefarm.net.conf](#)

```
<VirtualHost *:80>
    ServerName meinekleinefarm.net
    ServerAlias www.meinekleinefarm.net
    Redirect permanent / https://www.meinekleinefarm.net/
</VirtualHost>
```

```
<IfModule mod_ssl.c>
  <VirtualHost *:443>
    ServerAdmin webmaster@meinekleinefarm.net
    ServerName meinekleinefarm.net
    ServerAlias www.meinekleinefarm.net

    DocumentRoot /var/www/html/meinekleinefarm.net/root/

    <Directory /var/www/html/meinekleinefarm.net/root/>
      AllowOverride All
    </Directory>

    ErrorLog ${APACHE_LOG_DIR}/error.log
    CustomLog ${APACHE_LOG_DIR}/access.log combined

    SSLEngine on
    SSLCertificateFile
/etc/letsencrypt/live/meinekleinefarm.net/fullchain.pem
    SSLCertificateKeyFile
/etc/letsencrypt/live/meinekleinefarm.net/privkey.pem

    <FilesMatch "\.(cgi|shtml|phtml|php)$">
      SSLOptions +StdEnvVars
    </FilesMatch>
    <Directory /usr/lib/cgi-bin>
      SSLOptions +StdEnvVars
    </Directory>

    BrowserMatch "MSIE [2-6]" \
      nokeepalive ssl-unclean-shutdown \
      downgrade-1.0 force-response-1.0
    BrowserMatch "MSIE [17-9]" ssl-unclean-shutdown

  </VirtualHost>
</IfModule>
```

service apache2 reload

In die Administration einloggen, und das Setting für „Permalinks“ erneut setzen, damit die Regeln neu generiert werden.

From:  
<https://host.docker.internal:552/> - **Meine kleine Dokumentation**

Permanent link:  
[https://host.docker.internal:552/doku.php?id=wordpress\\_migration&rev=1478721039](https://host.docker.internal:552/doku.php?id=wordpress_migration&rev=1478721039)

Last update: **2016/11/09 19:50**



