

Dovecot



Baustelle / Work in Progress

```
apt install -t jessie-backports dovecot-core dovecot-imapd dovecot-lmtpd -y  
cp -arf /etc/dovecot/conf.d/ /etc/dovecot/conf.d.BAK
```

```
cd /etc/dovecot/conf.d  
nano 10-mail.conf
```

- mail_location = maildir:/var/mail/vhosts/%d/%n

```
mkdir -p /var/mail/vhosts/meinekleinefarm.net  
mkdir -p /var/mail/vhosts/mgs-ullrich.de
```

```
#groupadd -g 5000 vmail  
#useradd -r -g vmail -u 5000 vmail -d /var/mail/vhosts -c "Dovecot virtual  
mail user"  
#chown -R vmail:vmail /var/mail/vhosts/  
chown -R mail:mail /var/mail/vhosts/
```

```
nano 10-master.conf
```

- service imap-login {
 inet_listener imap {
 #port = 143
 }
 inet_listener imaps {
 port = 993
 ssl = yes
 }

 service lmtp {
 unix_listener /var/spool/postfix/private/dovecot-lmtp {
 group = postfix
 user = postfix
 mode = 0666
 }

 service auth {
 # Postfix smtp-auth

```
unix_listener /var/spool/postfix/private/auth {  
    mode = 0666  
    user = postfix  
    group = postfix  
}
```

nano 10-auth.conf

- `disable_plaintext_auth = yes`
Today however many people use SSL/TLS, and there's no problem with sending unencrypted password inside SSL secured connections.
`auth_mechanisms = plain login`

#!include auth-system.conf.ext
#!include auth-sql.conf.ext
#!include auth-ldap.conf.ext
!include auth-passwdfile.conf.ext
#!include auth-checkpassword.conf.ext
#!include auth-vpopmail.conf.ext
#!include auth-static.conf.ext

nano auth-passwdfile.conf.ext

- # Authentication for passwd-file users. Included from 10-auth.conf.

passwd-like file with specified location.
<doc/wiki/AuthDatabase.PasswdFile.txt>

passwd {
 driver = passwd-file
 args = scheme=SHA512-CRYPT username_format=%u /etc/dovecot/dovecot-users
}

userdb {
 driver = static
 args = uid=mail gid=mail home=/var/mail/vhosts/%d/%n
}

doveadm pw -l

```
doveadm pw -s SHA512-CRYPT
nano ../dovecot-users
```

- #meinekleinefarm.net
xenadmin@meinekleinefarm.net:{SHA512-CRYPT}\$6\$XYZxyzXYZxyzXYZxyzXYZxyzXYZxyzXYZxyzXYZxyzXYZxyzXYZxyz
- #mgs-ullrich.de
example@mgs-ullrich.de:{SHA512-CRYPT}\$6\$XYZxyzXYZxyzXYZxyzXYZxyzXYZxyzXYZxyzXYZxyzXYZxyzXYZxyz

10-ssl.conf

```
nano 10-ssl.conf
```

- ssl = required
ssl_cert = </etc/letsencrypt/live/meinekleinefarm.net/fullchain.pem
ssl_key = </etc/letsencrypt/live/meinekleinefarm.net/privkey.pem

```
nano
```

-

```
nano
```

-

From:
<https://dokuwiki.meinekleinefarm.net/> - Meine kleine Dokumentation

Permanent link:
https://dokuwiki.meinekleinefarm.net/doku.php?id=dovecot_installation&rev=1478724496

Last update: 2016/11/09 20:48

