Monit Installation

Quellen

- https://packages.debian.org/jessie-backports/monit
- http://www.binarytides.com/install-monit-debian/
- https://mmonit.com/wiki/Monit/Apache
- https://thomas-leister.de/apache-reverse-proxy-mit-ssl-support-einrichten/

Grundinstallation

```
apt install -t jessie-backports monit -y
nano /etc/monit/conf.d/basics
```

- ```
  set daemon 60

  set mailserver  external-relay.de,
                  external-relay2.de
  set mail-format { from: monit@meinekleinefarm.net }
  set alert xenadmin@meinekleinefarm.net  # receive all alerts

  set httpd port 2812 and
       use address localhost   # only accept conne$
       allow localhost         # allow localhost t$
       allow admin:monit       # require user 'adm$
  ```

```
a2enmod proxy proxy_http
cd /etc/apache2/sites-available/
nano monit.meinekleinefarm.net.conf
```

- monit.meinekleinefarm.net.conf

  ```
  <VirtualHost *:80>
          ServerName monit.meinekleinefarm.net
          Redirect permanent / https://monit.meinekleinefarm.net/
  </VirtualHost>

  <IfModule mod_ssl.c>
          <VirtualHost *:443>
                  ServerAdmin webmaster@meinekleinefarm.net
                  ServerName monit.meinekleinefarm.net
                  ServerAlias monit.meinekleinefarm.net
  ```
  ```

```
                ErrorLog ${APACHE_LOG_DIR}/error.log
                CustomLog ${APACHE_LOG_DIR}/access.log combined

                SSLProxyEngine On
                ProxyPass / http://localhost:2812/
                ProxyPassReverse / http://localhost:2812/

                <Location /monit/>
                        Order deny,allow
                        Allow from all
#                       ProxyPassReverseCookiePath / /monit/
                </Location>

                SSLEngine on
                SSLCertificateFile
/etc/letsencrypt/live/meinekleinefarm.net/fullchain.pem
                SSLCertificateKeyFile
/etc/letsencrypt/live/meinekleinefarm.net/privkey.pem

                <FilesMatch "\.(cgi|shtml|phtml|php)$">
                                SSLOptions +StdEnvVars
                </FilesMatch>
                <Directory /usr/lib/cgi-bin>
                                SSLOptions +StdEnvVars
                </Directory>

                BrowserMatch "MSIE [2-6]" \
                               nokeepalive ssl-unclean-shutdown \
                               downgrade-1.0 force-response-1.0
                BrowserMatch "MSIE [17-9]" ssl-unclean-shutdown
        </VirtualHost>
</IfModule>
```

```
a2ensite monit.meinekleinefarm.net.conf
service apache2 reload
```

Weiter zur → Monit Konfiguration

From:
https://dokuwiki.meinekleinefarm.net/ - **Meine kleine Dokumentation**

Permanent link:
https://dokuwiki.meinekleinefarm.net/doku.php?id=monit_setup

Last update: **2016/11/25 11:29**